OMRON Industrial Automation




# A22NE-M-P102-C

Emergency stop switch,Push-in, 24 VAC/DC illuminated, 40 mm dia, push-lock/turn-reset, NO +NC

# Specifications

| | |
|---|---|
| **Number of contacts, normally-open** | 1 |
| **Number of contacts, normally-closed** | 1 |
| **Unlocking method** | Turn unlatching mechanism |
| **Diameter cap** | 40 mm |
| **Hole diameter** | 22 mm |
| **Mounting method** | Build-in |
| **With lighting** | ✔ |
| **With lock lever contact function** | ✖ |
| **Button text** | None |
| **Text color** | Not Applicable |
| **Lighting voltage** | 24 VAC/DC |
| **Connection type auxiliary circuit** | Spring clamp connection |
| **Degree of protection (IP)** | IP65 |

# Accessories

| | | |
|---|---|---|
|  | **A22NZ-A-B01Y** | Pushbutton accessory A22NZ 22 dia. Control Box |
|  | **A22NZ-S-P2A** | A22N Contact blocks, DPST-NO, push-in terminal |
|  | **A22NZ-S-P2B** | A22N contact blocks, DPST-NC, push-in terminal |
|  | **A22NZ-S-P2C** | A22N Contact blocks, SPST-NO + SPST-NC, push-in terminal |
|  | **A22Z-3466-1** | Legend plate, emergency stop, 60 mm dia., round, yellow |
|  | **A22Z-3905** | Tightening wrench |
|  | **A22Z-EG1** | E-stop shroud, EMERGENCY OFF legend included. |
|  | **A22Z-EG2** | E-Stop Shroud yellow |

# Downloads

CAD file



## A22NE Emergency Stop Push Button Switches

**Datasheet**

EN PDF 20.3 MB



## Innovation in Control Panel Building

**Brochure**

EN PDF 4.38 MB



## Machine Safety

**Catalogue**

EN PDF 9.91 MB



## Pushbutton Switches

**Brochure**

EN PDF 2.78 MB



## Safety Component Selection Guide EU

**Brochure**

EN PDF 5.26 MB



## Safety Solution Advanced Guide

**Guide**

EN PDF 2.57 MB



## Safety Solution Basic Guide

**Guide**

EN PDF 14.4 MB

**TERMS OF WEBSITE USE**

This PDF document was created from the European OMRON Industrial Automation website on 4 November, 2026. Click here for terms of use.